



## B-10 Block Grease

**Overview:** Interlube's B-10 Block Grease is a heavy-duty block grease for use in journal bearings and other bearing applications designed for heavy, semi-solid grease. Formulated for use in older applications found in paper mills, steel mills, cement Kilns, mining machinery, steam locomotives, ore processing, and marine uses.

**Operational Benefits:** These products offer these competitive advantages to enhance your reliability:

- **Excellent wear protection** • **NLGI #7** •

**Application:** Verify compatibility with current product. Remove old grease and attempt to eliminate as much residue as possible.

- **Slow-turning heavily-loaded bearings** • **Trunions** • **High-heat applications** • **Electric gates**

**Typical Industries:** This product is commonly used (but not exclusively) in the following industries:

- **Paper mills** • **Steel mills** • **Cement manufacturing** • **Construction / mining** • **Marine applications**

### Technical Properties

Property	Method	Typical Results
Appearance		Smooth Block
Color		Dark
NLGI Grade		7
Penetration, 60 Strokes, 77°F, (mm)		40 - 70
Base Oil		Mineral Oil
Thickener Type		Sodium Stearate
Water Resistance	ASTM D-2509	PASS
DI Rust Protection, 48h/52°C	ASTM D-1743	PASS
Base Oil Viscosity (cSt @40°C)	ASTM D-445	220

*The values shown are typical of current production. All of them may vary within tolerable ranges.*

Packaged in 8 blocks/ case, each box 4"x4"x8", a case weighs between 45-50 lbs. The blocks can be used as-is or cut to desired size to fit in application point. (This product replaces Interlube R-10 Block Grease which is no longer available.)



Interlube Corporation

4646 Baker Avenue

Cincinnati, Ohio 45212-2594 USA

Tel: 513-531-1777 | Fax: 513-531-0193

SALES@INTERLUBECORPORATION.COM | [WWW.INTERLUBECORPORATION.COM](http://WWW.INTERLUBECORPORATION.COM)

**24093**